

Hydrochloric Acid Lab Grade (RXSOL-60-6257-500)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-60-6257-500
Product Type	Hydrochloric Acid 37% Lab Grade

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point ::: Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 ::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
Hydrochloric Acid	CAS# 7647-01-0	36.5-38%	W/W	OSHA PEL (C) 5 ppm, (C) 7 mg/mf
Water, Deionized ASTM Type II	CAS# 7732- 18-5	62-63.5%	W/W	None Established

3. Hazards Identification

www.rxmarine.com

Causes severe irritation and burns. May Be harmful if swallowed. Avoid breathing vapor or dust. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

Emergency Overview: Poison! Danger! Corrosive. Liquid and mist cause severe burns to all body tissue. May be fatal if swallowed or inhaled. Inhalation may cause lung damage.

Inhalation:Corrosive! Inhalation of vapors can cause coughing, choking, inflammation, of the nose, throat, and upper respiratory tract, and in severe cases, pulmonary edema, circulatory failure, and death.

Ingestion: Corrosive! Swallowing hydrochloric acid can cause immediate pain and burns of the mouth, throat, esophagus, and gastrointestinal tract. May cause nausea, vomiting, and diarrhea, and in severe cases, death.

Skin: Corrosive! Can cause redness, pain, and severe skin burns. Concentrated solutions cause deep ulcers and discolor of skin.

Eye Contact: Corrosive! Vapors are irritating and may cause damage to eyes. Contact may cause severe burns and permanent eye damage.

Chronic Exposure: Long-term exposure to concentrated vapors may cause erosion of teeth. Long-term exposures seldom occur due to the corrosive properties of the acid.

Aggravated by Exposure: Persons with pre-existing skin disorders or eye disease may be more susceptible to the Effects to this substance.

4. First Aid Measures

www.rxmarine.com

SKIN:	In case of contact, immediately flush skin with water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly clean clothing and shoes before reuse.
EYES:	Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid.
INHALATION:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen
INGESTION	Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type:	Any means suitable for extinguishing surrounding fire
Fire / Explosion Hazards:	Thermal decomposition produces highly toxic fumes.
Fire Fighting Procedure:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

6. Accidental Release Measures

www.rxmarine.com

Evacuate area. Wear self-contained breathing apparatus and protective clothing. Dispose of in a manner consistent with federal, state, local regulations.

Ventilate area of Leak or Spill. Wear Appropriate Personal Protective Equipment as Specified in Section 8. Isolate Hazard Area. Keep Unnecessary and Unprotected Personnel from Entering. Contain and Recover Liquid when Possible. Neutralize with Alkaline Material (Soda- Ash, Lime), then Absorb with an Inert Material (e.g., Vermiculite, Dry Sand, Earth), and place in a Chemical Waste Container. Do Not Use Combustible Materials, such as Saw Dust. Do Not Flush to Sewer! US Regulations (CERCLA) Require Reporting Spills and Releases to Soil, Water and Air in Excess of Reportable Quantities.

7. Handling and Storage

www.rxmarine.com

Store in a cool, dry, well-ventilated place away from incompatible materials. Wash thoroughly after handling.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection	NIOSH/MSHA-approved respirator
Ventilation	Local

OTHER	Mechanical
Protective Gloves	NIOSH Approved Gloves
EYE PROTECTION	Goggles and Face Shield
Other Protective Equipment	Wear appropriate clothing to prevent skin exposure

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT	51°C
VAPOR PRESSURE	160 mm Hg @ 70°F
MELTING POINT	-114.3°C
VAPOR DENSITY	1.27
EVAPORATION RATE	Information not available
Appearance /Odors	Colorless fuming liquid
Flash Point	Information not available
Specific Gravity	1.19
Percent Volatile by	>99%
Evaporation Standard	
Auto Ignition Temp	Not applicable
Lower Flamm. Limit in Air	Not applicable
Upper Flamm. Limit in Air	Not applicable
Solubility in Water	Soluble

10. Stability and reactivity

www.rxmarine.com

STABILITY	Stable
CONDITIONS TO AVOID	Avoid contact with incompatible materials.
MATERIALS TO AVOID	Metals, bases, amines, and water
HAZARDOUS DECOMPOSITION PRODUCTS	HCl fumes and Hydrogen gas
HAZARDOUS POLYMERIZATION	will not occur
Conditions to Avoid	None known

11. Toxicological information

www.rxmarine.com

Carcinogenic References: Hydrogen Chloride - IARC Category 3, NTP Carcinogen - Known:

No

12. Ecological information

www.rxmarine.com

Environmental Fate: When Released into the Soil, this Material is Not Expected to Biodegrade.

When Released into the Soil, this Material may Leach into Groundwater.

Environmental Toxicity: This material is expected to be toxic to aquatic life.

13. Disposal considerations

www.rxmarine.com

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport information

www.rxmarine.com

DOT Classification: UN1789, Hydrochloric Acid, 8, PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

15. Regulatory information

www.rxmarine.com

Chemical Inventory Status –

Part 1:Ingredient

Hydrogen Chloride (7647-01-0)

Water (7732-18-5)

TSCA Yes YES

EC Yes YES

Japan YES YES

Australia Yes YES

Chemical Inventory Status –

Part 2:Ingredient

Hydrogen Chloride (7647-01-0)

Water (7732-18-5)

Korea Yes YES

DSL Yes YES

NDSL No NO

Phil. Yes YES

Federal, State & International Regulations –

Part 1: Ingredient.

Hydrogen Chloride (7647-01-0)

Water (7732-18-5)

RQ 5000 No

TPQ 500 No

List YES NO

Chemical Catg No NO

Federal, State &

International Regulations –

Part 2:Ingredient

Hydrogen Chloride (7647-01-0)

Water (7732-18-5)

CERCLA 5000 NO
261.33 No NO
8(d) No NO

Chemical Weapons Convention: No

TSCA 12 (b):No

CDTA: YES MIXTURE/LIQUID

SARA 311/312: Acute:YES

Chronic: YES

Fire: No

Pressure: No

Reactivity: No

Australian Hazchem Code: 2R

Poison Schedule:NONE ALLOCATED

16. Other information

www.rxmarine.com

Conditions aggravated/target organs: Corrosive! Severe exposure may be fatal. Acute: Severe burns to eyes, skin, respiratory system,GI tract. Chronic: Dermatitis, eye damage, lung damage.

Flammability

Health

Reactivity

Revisions	NFPA
7/30/2010	0.1 updated msds to 16 section from 10 section msds. STN
	0

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.