

FORMIC ACID (RXSOL-60-6604-613)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-60-6604-613
Product Type	FORMIC ACID LR 98%
Revised date	

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 ::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Substance / Preparation : Preparation.

Hazardous component(s) : This product is hazardous.

Substance name	Contents	CAS No
Formic acid :	> 75 99 %	64-18-6

3. Hazards Identification

www.rxmarine.com

3.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : C; R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008

(CLP) Health hazards : Skin corrosion -

Category 1A -

Danger (CLP : Skin Corr. 1A) H314

3.2. Label elements Labelling EC 67/548 or EC 1999/45

Symbol(s) : C : Corrosive

R Phrase(s) : R35 : Causes severe burns.

S Phrase(s) : S23 : Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

S24 : Avoid contact with skin.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with

S35 : This material and its container must be disposed of in a safe way.

S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

S59 : Refer to manufacturer/supplier for information on recovery/recycling.

Signal words : Danger

Hazard statements : H314 : Causes severe skin burns and eye damage. Precautionary statements

- Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling.

- Response : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

- Storage : P405: Store locked up.

- Disposal considerations : P501: Dispose of this material and its container to hazardous

or special waste collection point, in accordance with local, regional, national and/or international regulation.

3.3. Other hazards Other hazards : The substance does not fulfil the criteria to be identified as

PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

4. First Aid Measures

www.rxmarine.com

4.1. Description of first aid measures

Inhalation : Immediately call a POISON CENTER or doctor.

Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Immediately call a POISON CENTER or doctor. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.

Eye contact : Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where possible)

5. Fire-fighting Measures

www.rxmarine.com

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection. Special procedures : Exercise caution when fighting

any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental Release Measures

www.rxmarine.com

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area. Technical measures : Use special care to avoid static electric charges.

Special precautions : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify

authorities if product enters sewers or public waters. 6.3. Methods and material

for containment and cleaning up Clean up methods : Soak up spills with inert solids,

such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection.

7. Handling and Storage

www.rxmarine.com

7.1. Precautions for safe handling

Handling : Handle empty containers with care because residual vapours are flammable.

Wash thoroughly after handling. Avoid contact during pregnancy or while nursing.

Do not breathe dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.

Use explosion-proof electrical, ventilating, lighting, equipment. Special precautions : No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place.

Keep in fireproof place. Keep container tightly closed. Ground/bond container

and receiving equipment. Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls and personal protection

www.rxmarine.com

8.1. Exposure controls

Personal protection Personal protection : Avoid all unnecessary exposure.

- Respiratory protection : Wear approved mask.
- Hand protection : Wear protective gloves.
- Skin protection : Wear suitable protective clothing.
- Eye protection : Chemical goggles or face shield.
- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

www.rxmarine.com

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Odour : Characteristic.

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : 8.2 - 8.4 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : No data available.

Auto-ignition temperature [°C] : No data available.

Flammability (solid, gas) : N/A Flammable

liquid and vapour. Flash point [°C] : No data available.

Boiling point [°C] : 100 - 101 °C

Initial boiling point [°C] : No data available.

Final boiling point [°C] : No data available.

Evaporation rate : N/A

Vapour pressure [20°C] : No data available.

Vapour pressure mm/Hg : N/A

Vapour density : 1,59

Density [g/cm3] : 1,22

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Infinitely soluble

Solubility in water : No data available.

Log Pow octanol / water at 20°C : No data available.

Solubility : 2.2 Viscosity at 40°C

[mm2/s] : No data available.

9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : No data available.

Explosion limits - lower [%] : No data available.

Oxidising properties : No data available.

10. Stability and reactivity

www.rxmarine.com

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight.

Extremely high or low temperatures. Open flame.

Overheating. Heat. Sparks.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes.

Carbon monoxide. Carbon dioxide. Thermal

decomposition generates : Corrosive vapours.

May release flammable gases.

11. Toxicological information

www.rxmarine.com

11.1. Information on toxicological effects Toxicity

information : The product has been not fully tested.

The calculated risk has been done under the requirements of the EU regulations. Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Causes severe skin burns and eye damage. Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

www.rxmarine.com

12.1. Toxicity

Toxicity information : The product has not fully tested. The calculated risk has been done under the requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

www.rxmarine.com

13.1. Waste treatment methods

General : Avoid release to the environment.

Dispose in a safe manner in accordance with local/national regulations.

Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information

www.rxmarine.com

14.1. Land transport (ADR-RID)

Proper shipping name : FORMIC ACID with more than 85%

acid by mass

UN N° : 1779

H.I. nr : 83

ADR - Class : 8

Labelling - Transport : 8 : Corrosive substance. 3

: Flammable liquid.

ADR - Classification code : CF1

ADR - Group : II

ADR - Packing instructions : P001

ADR - Limited Quantity : 1 L

ADR - Tunnel code : D/E : Bulk or tank

carriage: Passage forbidden through tunnels of category D and E.

Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : FORMIC ACID with more than 85%

acid by mass UN N° : 1779

IMO-IMDG - Class or division : 8 : Corrosive substance. (3 : Flammable liquid.)

IMO-IMDG - Packing group : II

IMO-IMDG - Packing instructions : P001

IMO-IMDG - Limited quantities : 1 L

IMO-IMDG - Marine pollution : No

EMS-Nr : F-E S-C

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : FORMIC ACID with more than 85%

acid by mass UN N° : 1779

IATA - Class or division : 8 : Corrosive substance. (3 : Flammable liquid.)

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED -

Passenger and Cargo - Packing : 851 instruction -

Passenger and Cargo - Maximum : 1 L

Quantity/Packing IATA - Cargo only : ALLOWED -

Cargo only - Packing instruction : 855 -

Cargo only - Maximum Quantity/ : 30 L

Packing IATA - Limited Quantities : 0.5 L

ERG-Nr : 8F

15. Regulatory information

www.rxmarine.com

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation

specific for the substance or mixture REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

www.rxmarine.com

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Further information : None. In accordance with REACH

Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS

was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied,

regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may

be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or

expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to

be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.