

Defoamer Silicone Based (RXSOL-40-2066-200)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-16-2066-200
Product Type	Defoamer

Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.

VASHI ,NEW BOMBAY 400703 INDIA

STOCK Point ::: Fujairah, Mumbai, Chennai, Kandla, Kolkata, Visakhapatnam, Fujairah, Muscat

Phone	+91 22 65113333 / 5555 / 9999 / 27611360
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name	%
Proprietary Blend	40
Paraffinic Mineral Oil	40
Fatty Acid	1-10
Organo Metallic Compound	1-10
Silicium Dioxide	1-10

3. Hazards Identification

www.rxmarine.com

Physical state	Liquid.
Odor	Faint odor.
Color	Yellowish Grey.
OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication tandard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Emergency overview	CAUTION! MAY CAUSE EYE IRRITATION. Avoid breathing vapor or mist. Avoid contact with eyes. Wash thoroughly after handling.
See toxicological information (Section 11)	

GENERAL INFORMATION	Read the entire MSDS for a more thorough evaluation of the hazards.
---------------------	---

4. First Aid Measures

www.rxmarine.com

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Notes to physician	No specific treatment. Treat symptomatically. Call medical doctor or poison control center immediately if large quantities have been ingested.

5. Fire-fighting Measures

www.rxmarine.com

Flash point	Closed cup: 229.4°C (444.9°F)
Hazardous thermal decomposition products	No specific data.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
----------------------	--

Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and Storage

www.rxmarine.com

Handling	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls and personal protection

www.rxmarine.com

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	

Respiratory	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

www.rxmarine.com

General information	
Appearance	Yellowish Grey
Physical state	Liquid.
Color	Yellowish Grey.
Odor	Faint odor.
Important health, safety and environmental information	
pH	9-10
Boiling/condensation point	>35°C (>95°F)
Melting/freezing point	Not available.
Flash point	Closed cup: 229.4°C (444.9°F)
Flammable limits	Not available.
Auto-ignition temperature	Not available.
Vapor pressure	Not available.
Specific gravity	1.01
Partition coefficient: noctanol/ water (log Kow)	Not available.
Viscosity	Kinematic: 1.75 cm ² /s (175 cSt at 40°C)
Density	0.88-0.91
Vapor density	>1 [Air = 1]

Evaporation rate (butyl acetate = 1)	Not available.
--------------------------------------	----------------

10. Stability and reactivity

www.rxmarine.com

Chemical stability	The product is stable.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	No specific data.
Materials to avoid	isocyanate
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

www.rxmarine.com

Potential acute health effects	
Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Eye contact	Slightly irritating to the eyes.
Potential chronic health effects	
General	No known significant effects or critical hazards.
Target organs	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Medical conditions aggravated by over-exposure	

12. Ecological information

www.rxmarine.com

Environmental effects	No known significant effects or critical hazards.
-----------------------	---

Other adverse effects	No known significant effects or critical hazards.
Other ecological information	
BOD5	Not determined.
COD	Not determined.
TOC	Not determined.

13. Disposal considerations

www.rxmarine.com

Waste disposal	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
----------------	--

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

www.rxmarine.com

Proper shipping name	
DOT	Not regulated.
TDG	Not regulated.
IMDG	Not regulated.
IATA	Not regulated.

Regulatory information	UN number	Classes	PG*	Label	Additional information
DOT Classification	Not regulated	-	-	-	-
TDG Classification	Not regulated	-	-	-	-
IMDG Class	Not regulated	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-

PG* : Packing group

15. Regulatory information

www.rxmarine.com

United States	
HCS Classification	Not regulated.
U.S. Federal regulations	

TSCA 8(b) inventory	United States inventory (TSCA 8b): This material is listed or exempted.
TSCA 5(a)2 final	No ingredients listed.
significant new use rule (SNUR)	
TSCA 5(e) substance consent order	No ingredients listed.
TSCA 12(b) export notification	No ingredients listed.
SARA 302/304/311/312	SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No ingredients listed.
Clean Air Act Depleting Substances (ODS)	Ozone This product does not contain nor is it manufactured with ozone depleting substances.
SARA 313	No ingredients listed.
CERCLA Hazardous substances	No ingredients listed.
State regulations	
PENNSYLVANIA - RTK	No ingredients listed.
California Prop. 65	This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.
International regulations	
Canada	
WHMIS (Canada)	Not controlled under WHMIS (Canada).
CEPA DSL	This material is listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International lists	Australia inventory (AICS): This material is listed or exempted. China inventory (IECSC): This material is listed or exempted. Japan inventory: This material is listed or exempted. Korea inventory: This material is listed or exempted. New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted. Philippines inventory (PICCS): This material is listed or exempted
---------------------	---

16. Other information

Label requirements	MAY CAUSE EYE IRRITATION.
Hazardous Material Information System (U.S.A.)	Health 0
	Flammability 1
	Physical hazards 0
	Personal protection

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)	Health 0	
	Flammability 1	
	Instability 0	
	Special	

Indicates information that has changed from previously issued version.

Notice to reader

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.