

FerroCHROME Lignosulfonate FCLS (RXSOL-81-8108-025)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-81-8108-025
Product Type	Ferrochrome Lignosulfonate

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Visakhapatnam, Chennai, Fujairah, Muscat

Phone	+91 22 27815540 / 41 / 42
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Hazardous Components	ACGIH TLV	%	CAS Number
FERROCHROME LIGNOSULFONATE	0.5 MG/M3	60-100	8075-74-9

3. Hazards Identification

www.rxmarine.com

skin contact	Irritant
eye contact	Irritant
Ingestion:	Gave milk or water to dilute don not induce vomiting unlessdirected by a physican
Inhalation	REMOVE TO FRESH AIR IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING is dufficult give oxygen

4. First Aid Measures

www.rxmarine.com

EYES	HOLD EYELIDS APART AND FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES. CONTACT A PHYSICIAN IF IRRITATION PERSISTS
SKIN CONTACT	WASH AFFECTED AREA WITH MILD SOAP AND WATER. APPLY MEDICATED CREAMS TO RELIEVE IRRITATION AND REPLENISH SKIN OILS

INGESTION	GIVE MILK OR WATER TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY A PHYSICIAN
INHALATION	REMOVE TO FRESH AIR IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN

5. Fire-fighting Measures

www.rxmarine.com

FIRE FIGHTING PROCEDURE:-

IN CASE OF FIRE, GENTLY FLOOD WITH WATER FOG, USING CARE NOT TO SUSPEND DUSTS. USE SELF CONTAINED BREATHING APPARATUS IN ENCLOSED OR CONFINED AREAS DURING A FIRE

UNUSUAL FIRE AND EXPLOSION HAZARDS:-

DECOMPOSITION IN FIRE MAY PRODUCE TOXIC GASES

6. Accidental Release Measures

www.rxmarine.com

SPILL RESPONSE :-

WEAR PROPER PROTECTIVE EQUIPMENT (SECTION IX). RECOVER SPILLED MATERIAL TO THE ORIGINAL CONTAINER FOR SALE IF POSSIBLE OR TO A SUITABLE WASTE CONTAINER. MINIMIZE DUSTING DURING CLEANUP. FLUSH RESIDUE WITH WATER

WASTE DISPOSAL METHOD :

PRODUCT IS NOT HAZARDOUS ACCORDING TO RCRA CRITERIA OR LISTING AS SUPPLIED. DISPOSE OF ACCORDANCE TO LOCAL, STATE AND FEDERAL REGULATIONS

7. Handling and Storage

www.rxmarine.com

HANDLING :-

MAY IRRITATE EYES, SKIN AND RESPIRATORY SYSTEM. AVOID EYE AND SKIN CONTACT. AVOID BREATHING DUSTS. WEAR PROPER PROTECTIVE EQUIPMENT STATED IN THE MSDS

STORAGE :-

KEEP DUSTS TO A MINIMUM. KEEP CONTAINER CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION

8. Exposure controls and personal protection

www.rxmarine.com

RESPIRATORY PROTECTION :	WEAR APPROVED PARTICULATE RESPIRATORS IF EXPOSURE LIMITS MAY BE EXCEEDED.
VENTILATION :	MECHANICAL OR LOCAL VENTILATION TO MINIMIZE WORKER EXPOSURE TO DUSTS
CLOTHING :	WEAR LONG PROTECTIVE CLOTHING WITH AN APRON FOR ADDED PROTECTION.
EYEWEAR :	USE SAFETY GLASSES WITH SIDESHIELDS OR GOGGLES. INSURE A PROPER FIT.

GLOVES :	WEAR NEOPRENE OR BUTYL RUBBER GLOVES FOR PROTECTION
FOOTWEAR :	USE NORMAL SAFETY BOOTS

9. Physical and chemical properties

www.rxmarine.com

COLOR	BROWN
ODOR	MILD
SOLUBILITY IN WATER	APPRECIABLE
pH	3
SPECIFIC GRAVITY	1.12
FORM	POWDER

10. Stability and reactivity

www.rxmarine.com

Incompatibility (Materials to Avoid): STRONG OXIDIZERS

Hazardous Decomposition on Byproducts: OXIDES OF SULFUR

11. Toxicological information

www.rxmarine.com

skin contact	irritant
eye contact	irritant
Ingestion:	gave milk or water to dilute don not induce vomiting unless directed by a physician
Inhalation	REMOVE TO FRESH AIR IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING is difficult give oxygen

12. Ecological information

www.rxmarine.com

N/A

13. Disposal considerations

www.rxmarine.com

WASTE DISPOSAL METHOD :-

PRODUCT IS NOT HAZARDOUS ACCORDING TO RCRA CRITERIA OR LISTING AS SUPPLIED. DISPOSE OF ACCORDANCE TO LOCAL, STATE AND FEDERAL REGULATIONS.

14. Transport information

www.rxmarine.com

N/A

15. Regulatory information

www.rxmarine.com

N/A

16. Other information

www.rxmarine.com

N/A

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.