

Sodium Hexafluorosilicate (RXSOL-26-4225-025)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	Sodium Hexafluorosilicate
Part Number	RXSOL-26-4225-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Product name	Cas No	EC No	Weight	Formula
Sodium hexafluorosilicate	16893-85-9	240-934-8	188,06 g/mol	F_6Na_2Si

3. Hazards Identification

www.rxmarine.com

Signal Word	Danger
Hazard Statements	H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.
Precautionary statements	P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Classification of the substance or mixture	No data available
Supplemental Hazard Statements	No data available
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

www.rxmarine.com

General advice	Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance
If inhaled	After inhalation fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
Eye Contact	After eye contact rinse out with plenty of water. Remove contact lenses.
Swallowed	If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.
Skin Contact	First treatment with calcium gluconate paste. In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
Inhalation	No data available
Ingestion	No data available
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

www.rxmarine.com

Flammability	No data available
Suitable extinguishing media	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Nature of decomposition products not known. Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire

Further information	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

6. Accidental Release Measures

www.rxmarine.com

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	No data available
Environmental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

www.rxmarine.com

Advice on protection against fire and explosion	No data available
Incompatible materials	No data available
Hygiene measures	No data available
Advice on safe handling	For precautions see section 2.2.
Conditions for safe storage including any incompatibilities	No data available
Storage conditions	Tightly Closed
Storage class	No data available
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene	No data available

8. Exposure controls and personal protection

www.rxmarine.com

Exposure controls	Personal protective equipment
Engineering Control	No data available

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Protective Clothing
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L
Respiratory protection	Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented
Other Protection Measure	No data available

9. Physical and chemical properties

www.rxmarine.com

Physical state	Solid
Colour	No data available
Odour	Weak characteristic odour
Odor Threshold	No data available
pH	1,5 - 2,5 at 100 g/l at 20 °C
Melting Point	> 350 °C - Decomposition
Boiling Point	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	0,1 hPa at 20 °C
Viscosity	No data available
Density	No data available
Relative Density	No data available

Specific Gravity	No data available
Partition coefficient	Log Pow 0,81
Explosive properties	No data available
Solubility	200 g/l at 20 °C
Ignition temperature	No data available
Particle characteristics	No data available

10. Stability and reactivity

www.rxmarine.com

Reactivity	Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Reducing agents Metals
Conditions to avoid	Strong heating
Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

11. Toxicological information

www.rxmarine.com

Acute toxicity	LD50 Oral - Rat - > 4.640 mg/kg (External MSDS) LD50 Dermal Dermal - Rat - > 2.500 mg/kg (External MSDS)
Skin corrosion/irritation	Skin - Rabbit Result Irritating to skin. (OECD Test Guideline 404) (External MSDS)
Serious eye damage/irritation	Eyes - Rabbit Result Eye irritation (OECD Test Guideline 405) (External MSDS)
Respiratory or skin sensitization	Sensitisation possible in predisposed persons.
Carcinogenicity	No data available
Germ cell mutagenicity	Equivocal evidence. Histidine reversion (Ames)
Reproductive toxicity	Possible risk of congenital malformation in the fetus. Exposure to excessive amounts of iodine during pregnancy is capable of producing fetal hypothyroidism. Iodine-containing drugs have been associated with fetal goiter
Specific target organ toxicity - single exposure	No data available

Additional Information	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: TR1579600 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Quantitative data on the toxicity of this product are not available. Further data: Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.
------------------------	--

12. Ecological information

www.rxmarine.com

Persistence and degradability	Biodegradability 20 % - Not readily eliminated from water (External MSDS)
Toxicity to fish	Static test LC50 - Leuciscus idus (Golden orfe) - 4,6 - 10 mg/l - 96 h (DIN 38412) Remarks: (External MSDS)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 2,79 mg/l - 48 h (OECD Test Guideline 202) Remarks: (External MSDS)
Toxicity	No data available
Toxicity to bacteria	EC50 - Pseudomonas putida - 380 mg/l - 17 h (DIN 38412) (External MSDS)
Toxicity to algae	Static test EC50 - Desmodesmus subspicatus (green algae) - 4,91 mg/l - 72 h (OECD Test Guideline 201) (External MSDS)
Products Biodegradation	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Other adverse effects	Discharge into the environment must be avoided.

13. Disposal considerations

www.rxmarine.com

Product	No data available
Contaminated packaging	No data available
Waste treatment	Method
	No data available

14. Transport information

www.rxmarine.com

UN number	ADR/RID:3077	IMDG:3077	IATA:3077
UN proper shipping name	ADR/RID:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine) IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine) IATA:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (homopolymer from 1-vinyl-2-pyrrolidone, complex with iodine)		
Transport hazard class(es)	ADR/RID:9	IMDG:9	IATA:9

Packaging group	ADR/RID:III	IMDG:III	IATA:III
Environmental hazards	ADR/RID:Yes	IMDG Marine pollutant:Yes	IATA:Yes
Special precautions for user	Tunnel restriction code (-)		
Further information	No data available		

15. Regulatory information

www.rxmarine.com

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	A Chemical Safety Assessment was not carried out for this substance.

16. Other information

www.rxmarine.com

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages. DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
-------------------	---