

# Carbon Remover (RXSOL-16-1003-025)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

## 1. Product and Company Identification

[www.rxmarine.com](http://www.rxmarine.com)

|              |                   |
|--------------|-------------------|
| Product Name | RXSOL-16-1003-025 |
| Product Type | CARBON REMOVER-II |

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

|       |                                                          |
|-------|----------------------------------------------------------|
| Phone | +91 22 65113333 / 5555 / 9999 / 27611360                 |
| Fax   | +91 22 2781 1318 ::::AOH :0091 9821214367                |
| Email | <a href="mailto:mail@rxmarine.com">mail@rxmarine.com</a> |

## 2. Composition / Information on ingredients

[www.rxmarine.com](http://www.rxmarine.com)

| Chemica Name                                          | Concentration | CAS Number | EC Number | R Phrases*          | Symbols |
|-------------------------------------------------------|---------------|------------|-----------|---------------------|---------|
| 1,2-Dichlorobenzene                                   | 30-60         | 95-50-1    | 202-425-9 | 22, 36/37/38, 50/53 | Xn, N   |
| Emulsified Xylenol                                    | 10-30         | 1300-71-6  | 215-089-3 | 24/25, 34, 51/53    | T, N    |
| Emulsifiable Liq of Aliphatic & Aromatic, unspecified | 10-30         | 64742-94-5 | 265-198-5 | 65, 66, 51, 53      | Xn, N   |
| Naphtha(petroleum)hydrosulfurizedheavy                | 10-30         | 64742-82-1 | 265-185-4 | 65, 66              | Xn      |

\*See Section 16

## 3. Hazards Identification

[www.rxmarine.com](http://www.rxmarine.com)



Toxic



Corrosive

|                   |                                                                                                                                        |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Odour             | Unpleasant odour, Strong smell of phenol.                                                                                              |
| Appearance        | Liquid, brown, dispersible in water.                                                                                                   |
| Contact with eyes | Can cause damage to the eyes.                                                                                                          |
| Contact with skin | Causes burns (R34), Toxic in contact with skin and if swallowed (R24/25).                                                              |
| Inhalation        | May cause severe irritation, May cause dizziness, confusion, headache or stupor, In cases of severe exposure, anaesthesia may develop. |

|           |                                                                                                           |
|-----------|-----------------------------------------------------------------------------------------------------------|
| Ingestion | Toxic if swallowed (R25).                                                                                 |
|           | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R50/53). |

## 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

|                               |                                                                                                                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dangerous for the Environment | Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water. When in doubt or symptoms persist, seek medical attention. Contaminated clothing should be laundered before reuse.      |
| Contact with eyes             | If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. Irrigate eyes thoroughly whilst lifting eyelids. Seek immediate medical attention. Continue flushing with water until medical help arrives. |
| Ingestion                     | Never make an unconscious person vomit or drink fluids. Give plenty of water to drink. Do not induce vomiting. Seek immediate medical attention.                                                                                               |
| Inhalation                    | Remove patient to fresh air. Keep warm and at rest, in a half upright position. Loosen clothing. When in doubt or symptoms persist, seek medical attention.                                                                                    |
| General                       | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45).                                                                                                                              |

## 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

- Flash point >70 deg C (CC)
- Decomposition products may include phosgene, Decomposition products may include carbon oxides
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Substance evolves toxic fumes, wear self-contained breathing apparatus
- Prevent run off water from entering drains if possible
- Use water spray or fog to knock down and absorb corrosive fumes
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback

## 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

|                           |                                                                                                                                                                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions      | Wear protective clothing as per section 8. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.                                                                                           |
| Environmental Precautions | Do not allow to enter public sewers and water courses.                                                                                                                                                                                         |
| Immediate Actions         | Use appropriate containment to avoid environmental contamination (S57).                                                                                                                                                                        |
| Clean Up Actions          | Absorb spillage in inert material and shovel up. Ventilate the area and wash spill site after material pick-up is complete.                                                                                                                    |
| Special Precautions       | Wear protective clothing as per section 8. Avoid release to the environment. Refer to special instructions/Safety data sheets (S61). Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback. |

## 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

|          |                                                                                              |
|----------|----------------------------------------------------------------------------------------------|
| Handling | See Section 8 Eye wash bottles should be available Avoid contact with skin and eyes (S24/25) |
| Storage  | Keep only in the original container in a cool, well ventilated place (S3/9/49)               |

## 8. Exposure controls and personal protection

www.rxmarine.com

|                                |                                                                                                                                                                                                                             |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exposure Limits                | TLV (TWA) 20 ppm, 122 mg/m <sup>3</sup> (1,2-Dichlorobenzene)                                                                                                                                                               |
| Exposure controls              | The undiluted product must not be used in a confined space without good ventilation                                                                                                                                         |
| Occupational exposure controls | Wear approved respirator if exposure likely to exceed MEL/OES Wear goggles giving complete eye protection Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are recommended) |



Respirator



Gloves



Goggles



No\_Smoking

## 9. Physical and chemical properties

www.rxmarine.com

|                    |                                             |
|--------------------|---------------------------------------------|
| Odour              | Unpleasant odour, Strong smell of phenol    |
| Appearance         | Liquid, pale to brown, dispersible in water |
| pH                 | N/A                                         |
| Boiling point      | > 100 °C at 760 mm /Hg                      |
| Vapour pressure    | not known                                   |
| Vapour density     | (air = 1) >01                               |
| Freezing point     | 0 °C at 760 mm/Hg                           |
| Insoluble in water |                                             |
| Specific gravity   | (water=1) 1.02                              |
| Flash point        | >70 deg C (CC)                              |

## 10. Stability and reactivity

www.rxmarine.com

- This article is considered stable under normal conditions, May cause rubber to swell
- Avoid overheating
- Incompatible with strong oxidizing substances, Contact with alkaline earth metals may form explosive gases, Contact with alkali metals may form explosive gases
- See Section 5

## 11. Toxicological information

www.rxmarine.com

|                           |                                                                                                                         |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Toxicological information | No experimental data available Inhalation.Vapours or aerosols may cause irritation of eyes, nose and respiratory tract. |
| Contact with skin         | In cases of severe exposure, redness and irritation may develop.                                                        |
| Contact with eyes         | Causes irritation.                                                                                                      |
| Ingestion                 | May cause gastro-intestinal disturbances.                                                                               |
| Carcinogenicity           | No evidence of carcinogenic effects.                                                                                    |

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

|                                  |                                                                                                                                                                                 |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ecotoxicity                      | This product does not contain ingredients which are classified in the EU as dangerous for the environment.                                                                      |
| Mobility                         | Completely soluble in water.                                                                                                                                                    |
| Persistence and Biodegradability | Its main ingredients will either dissolve rapidly and dissociate in water or are readily/inherently biodegradable.                                                              |
| Bioaccumulation Potential        | Bioaccumulation of the components in this product is insignificant. Other Adverse Effects. No environmental problems are expected when the product is used / handled correctly. |

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

|                |                                                                                                                                                                                                                                                                                              |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Classification | This material and/or its container must be disposed of as hazardous waste EU Waste class Disposal considerations Do not discharge into drains or the environment, dispose to an authorised waste collection point Disposal should be in accordance with local, state or national legislation |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

|                       |                       |                              |                                |           |
|-----------------------|-----------------------|------------------------------|--------------------------------|-----------|
| Proper Shipping Name: |                       |                              |                                |           |
| UN                    |                       |                              |                                |           |
|                       | Proper Shipping Name: | Toxicliquid organic, n.o.s   | (Xylenol, 1,2-dichlorobenzene) |           |
|                       | UN NO.                | 2810                         |                                |           |
|                       | Hazard Class          | 6.1                          | PackingGroup                   | III       |
| Road/Rail(ADR/RID)    |                       |                              |                                |           |
|                       | Proper Shipping Name  | Toxicliquid, organic, n.o.s. | (Xylenol, 1,2-dichlorobenzene) |           |
|                       | ADR UN No.            | 2810                         |                                |           |
|                       | ADRHazardClass        | 6.1                          | Tremcard                       | 61GT1-III |
| Sear (IMDG)           |                       |                              |                                |           |
|                       | Proper Shipping Name  | Toxicliquid, organic, n.o.s. | (Xylenol, 1,2-dichlorobenzene) |           |

|                                         |                       |                              |                                |                 |
|-----------------------------------------|-----------------------|------------------------------|--------------------------------|-----------------|
|                                         | IMDG UN No.           | 2810                         |                                |                 |
|                                         | IMDG Hazard Class     | 6.1                          | ICAO PackingGroup              | III             |
|                                         | IMDG EmS              | F-A, S-A                     | IMDG subrisk:                  | N/A             |
|                                         | IMDG Labels           | 6.1+Mar                      | Pollutant                      |                 |
|                                         | IMDG Flashpoint       | >70°C                        |                                |                 |
| Air(ICA0/IATA)                          |                       |                              |                                |                 |
|                                         | ProperShippingName    | Toxicliquid, organic, n.o.s. | (Xylenol, 1,2-dichlorobenzene) |                 |
|                                         | ICAO UnNo             | 2810                         |                                |                 |
|                                         | ICAO HazardClass      | 6.1                          | ICAO PackingGroup              | III             |
|                                         | ICAO subrisk          | N/A                          | ICAO Labels                    | 6.1             |
|                                         | ICAO Flashpoint       | >70°C                        |                                |                 |
| DOT/ CFR(USDepartment ofTransportation) |                       |                              |                                |                 |
|                                         | DOTProperShippingName | Toxicliquid, organic, n.o.s. | (Xylenol, 1,2-dichlorobenzene) |                 |
|                                         | HazardousMaterial     | Xylenol,                     | 1,2-dichlorobenzene            |                 |
|                                         | HazardClass           | 6.1                          | IdentificationNumber           | UN2810          |
|                                         | Product RQ (lbs)      | 100                          | DOTsubrisk:                    | MarinePollutant |
|                                         | DOTLabels             | 6.1+Mar                      | Pollutant                      |                 |
|                                         | DOTFlashpoint         | >70°C                        |                                |                 |

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

|              |                          |
|--------------|--------------------------|
| Risk Phrases | Irritating to eyes (R36) |
|--------------|--------------------------|

|                         |                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Safety Phrases Irritant | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26) Wear suitable gloves and eye/face protection (S37/39) |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R41: Risk of serious damage to eyes. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer. This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC). This Safety Data Sheet is provided in compliance with The Dangerous Preparations Directive (88/379/EEC). This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58/EC). Composition information in accordance with Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents: Nonionic surfactants 5-15 % Amphoteric surfactants 5 %

**DISCLAIMER OF LIABILITY :** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.