

Filter Media (RXSOL-16-3743-0265)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-32-3101-025
Product Type	Filter Media

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999 / 27611360
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemica Name	Concentration	CAS Number	EC Number	R Phrases*	Symbols Disodium
Cation Exchange Resin	40-60%	69011-18-3	NR	NR	-
Anion Exchange Resin	40-60%	69011-20-7	NR	NR	-

3. Hazards Identification

www.rxmarine.com

Odour	Amine odor
Appearance	Amber or brown
Contact with eyes	Slight irritation
Contact with skin	Slight irritation

4. First Aid Measures

www.rxmarine.com

Contact with skin	Flush eyes with a large ammount of water for at least 15 min consult a physician if irritation persists
Contact with eyes	Wash skin thoroughly with soap and water

5. Fire-fighting Measures

www.rxmarine.com

flash point	NA
auto-ignition temp.	500.c/932.F Estimate

lower explosive limit	NA
upper explosive limit	NA

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Wear gloves of cotton canvas or leather
Additional personal protective eq.	Safety glasses(ANSI Z87.1 or approved equivalent)

7. Handling and Storage

www.rxmarine.com

Storage	Avoid temperature extremes during storage ambient temperature preferred avoid repeated freeze-thaw cycles beads may fracture if frozen thaw at room temperature
---------	---

8. Exposure controls and personal protection

www.rxmarine.com

respiratory protection	Respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirement must be followed whenever workplace condition warrant a respirator use none req. under normal operating condition
Eye protection	Use safety glasses
hand protection	Avoid skin contact when using this substance use cotton , canvas, leather gloves

9. Physical and chemical properties

www.rxmarine.com

Odour	Amine odor
Appearance	Amber or brown
pH	5 to 9 aqueous slurry
Boiling point	100 °C /212.F water
Vapour Density	1
Melting point	0.c/32.F water
Solubility in water	Insoluble

10. Stability and reactivity

www.rxmarine.com

Incompatibility:-avoid contact with strong oxidizing particularly concentrated nitric acid

Hazardous polymerization:-product will not undergo polymerization

11. Toxicological information

www.rxmarine.com

Not applicable Data

12. Ecological information

www.rxmarine.com

Not applicable Data

13. Disposal considerations

www.rxmarine.com

Unused resin may be incinerated or landfilled in facilities meeting local state and federal regulation for contaminated resin the user must determine the hazard and use an appropriate disposal method.

14. Transport information

www.rxmarine.com

Not applicable Data

15. Regulatory information

www.rxmarine.com

Not applicable Data

16. Other information

www.rxmarine.com

Text of R and S phrase codes used in this safety data sheet:- R34: Causes burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R41: Risk of serious damage to eyes. The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer .