

Alkaleen Cleaner Safety Liq (RXSOL-20-2004-025)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	ALKALEEN SAFETY LIQUID 25 ltr
Part Number	RXSOL-20-2004-025

Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.

VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999 /27611360
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Chemica Name	Concentration	CAS Number	EC Number	R Phrases	
Disodium metasilicate	5 -10 %	6834-92-0	229-912-9	34, 37	
Fatty alcohol ethoxylate	1- 5 %	34398-01-1	500-084-3	22,41	
Alkylglucosid	4- 6%	161074-93-7	500-529-1	41	
2(2-butoxyethox) ethanol	1- 5%	112-34-5	203-961-6	36	

3. Hazards Identification

www.rxmarine.com



Corrosive

Odour	Odourless
Appearance	Liquid, clear , pale yellow, soluble in water
Contact with eyes	Can cause damage to the eyes
Contact with skin	Can cause damage to the skin
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract
Ingestion	The ingestion of significant quantities may cause damage to stomach lining

4. First Aid Measures

www.rxmarine.com

Contact with skin	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice if necessary Contaminated clothing should be laundered before reuse
Contact with eyes	If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes Obtain immediate medical attention , Continue flushing with water until medical help arrives
Ingestion	Do not induce vomiting Never give anything by mouth to an unconscious person Give plenty of water to drink Obtain immediate medical attention
Inhalation	Inhalation is unlikely to occur Remove patient to fresh air Seek medical attention if ill effects occur
General	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

5. Fire-fighting Measures

www.rxmarine.com

- Non combustible
- Decomposition products may include toxic and irritant fumes
- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	Wear protective clothing as per section 8.
Environmental Precautions	Do not allow to enter public sewers and watercourses.
Immediate Actions	Contain spillage by any means possible.
Clean Up Actions	Absorb spillage in inert material and shovel up Ventilate the area and wash spill site after material pick-up is complete.
Special Precautions	Wear protective clothing as per section 8.

7. Handling and Storage

www.rxmarine.com

Handling	The usual precautions for handling chemicals should be observed See Section 8 Eyewash bottles should be available
Storage	Keep only in the original container in a cool, well ventilated place (S3/9/49) Protect from frost

8. Exposure controls and personal protection

www.rxmarine.com

Exposure Limits	There are no recommended or established controls for this product
-----------------	---

Exposure controls	No special ventilation is required unless the product is used in a spray form
Occupational exposure controls	Wear suitable protective clothing, including eye/face protection and gloves (plastic or rubber are recommended) During fumigation/spraying wear suitable respiratory equipment (S42)



Gloves



Suit



Goggles

9. Physical and chemical properties

www.rxmarine.com

Odour	Odourless
Appearance	Clear Liquid, off white, soluble in water
pH	12.5 - 13.5
Boiling point	100 °C at 760 mm /Hg
Vapour pressure	not known
Freezing point	0 °C at 760 mm/Hg
Completely soluble in water	1.07
Specific gravity (water=1)	
Non combustible	

10. Stability and reactivity

www.rxmarine.com

Reactivity

- No hazardous reactions known if used for its intended purpose
- Stable
- Avoid overheating, Keep away from frost
- See Section 5

11. Toxicological information

www.rxmarine.com

Toxicological information	LD50 (oral,rat) (Alkylglucoside) > 2000 mg/kg LD50 (oral,rat) (Alkoholethoxylate) 300-2000 mg/kg LD50 (oral,rat) (2-(2-butoxyethoxy)ethanole) >2000 mg/kg
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract.
Contact with skin	Prolonged skin or eye contact may cause chemical burns.
Contact with eyes	Prolonged skin or eye contact may cause chemical burns.

Ingestion	The ingestion of significant quantities may cause burning sensation.
Carcinogenicity	No evidence of carcinogenic effects.

12. Ecological information

www.rxmarine.com

Toxicity

- LC50 (fish) (2(2-butoxyethox)ethanol) 1300 mg/l (96 hr)
- LC50 (fish) (Alcohollethoxylate) 1-10 mg/l (96 hr)
- LC50 (fish) (Alkylglucoside) >100 mg/l (96 hr)

Persistence and degradability

- The components in this product are readily biodegradable.

Bioaccumulation Potential

- Bioaccumulation of the components in this product is insignificant.

Mobility in soil

- Completely soluble in water

Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

Other Adverse Effects

- No information available

13. Disposal considerations

www.rxmarine.com

Classification	This material and/or its container must be disposed of as hazardous waste EU Waste class: 06 02.05
Disposal considerations	Do not discharge into drains or the environment, dispose to an authorised waste collection point Disposal should be in accordance with local, state or national legislation

14. Transport information

www.rxmarine.com

- Not classified as hazardous for transport

15. Regulatory information

www.rxmarine.com

Risk Phrases	Causes burns (R34) Irritating to respiratory system (R37).
Safety Phrases	Avoid contact with skin and eyes (S24/25) Wear suitable protective clothing, eye/face protection (S36/39) In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. Other information

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rx Marine International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.