

UNICLEAN B-Solve (RXSOL-10-1006-210)

MATERIAL SAFETY DATA SHEET • SALALAH CHEMICAL, OMAN

1. Product and Company Identification

www.rxmarine.com

Product Name	RXSOL-10-1006-210
Product Type	UNICLEAN B-Solve

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

STOCK Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

2 - BUTOXYETHANOL	10%	111-76-2 CAS
Fatty Acid	10-15%	61790-12-3 CAS NO
2 - Ethanol Amine	10-12%	141-43-5 CAS No
ANIONIC SURFACTANT	5.0 %	27177-77-1
NONIONIC SURFACTANT	5.0 %	68603-25-8

NOTE :Eyewash facilities require at workplace

Oxidation blowing and chemical reaction of Fatty alcohol derivative, non-ionic surfactants,phosphates , EDTA, potassium hydroxide and remaining which is not in the list of hazardous materials . 100% Biodegradable content.

3. Hazards Identification

www.rxmarine.com

Environmental Hazards	Water Soluble degreaser
Human Health Hazards	Moderates

R 36/38: Irritating to eyes and skin.

4. First Aid Measures

www.rxmarine.com

Inhalation	supply or remove to fresh air , Not relevant
Skin Contact	Rinse with running water and soap. Remove contaminated clothes.

Eye Contac	Flush with running water for at least 15 minutes Immediately
Ingestion	Seek medical attention , try to drink more fresh water

5. Fire-fighting Measures

www.rxmarine.com

Suitable	N.A. can use all extinguishing media like foam dry Co2 , water-spray.
Not suitable	Not applicable
Special	Not applicable
Protection of fire Fighter	Not applicable
Precaution for fire-fighters	Wear protective equipme

Non combustible product

6. Accidental Release Measures

www.rxmarine.com

Enviromental Precaution	Direct flow into drainage system, surface or ground water is prohibited.
Cleaning Method	Flush Spill Area with Water and remove with liquid-absorbing material like foam sand,sawdust etc..

7. Handling and Storage

www.rxmarine.com

Condition to Avoid	Non flammable but avoid direct heating
Materials to Avoid	Do not subject to Acidic / Oxidizing Agents.
Handling	Keep Container Tightly Closed

NOTE :Eyewash facilities require at workplace

- The product causes corrosion on skin and mucous membranes Pl. Note that In case of discharge of acidic or alkaline products into the sewerage system the pH must be in the range of 6-10 since higher or lower pH values may damage the sewerage system or impair biological dosage treatment plants. So that for maintaining pH we have to add acidic / basic medium neutraliser . For example if pH is less than 6 basic neutraliser is required and if pH is more than 10 acidic nature neutraliser is required. For details of any guideline pl. Visit our technical website www.rxmarine.com

• Dilute in water (always use plastic jar and RXSOL should be added to water never add water to RXSO

8. Exposure controls and personal protection

www.rxmarine.com

Personal Protection:

Respiratory System Protection	Approved respirator must be worn when spraying.
Eye Protection	wear eye protection (on possibility of contact).
Hand protection	wear PVC chemical resistance protective gloves.

9. Physical and chemical properties

www.rxmarine.com

PRODUCT PROPERTIES :

Appearance	Clear liquid
Density	In g/cm ³ at 20°C: 1.1
Compatibility	
Metal	No known effect
Rubber	No known effect
pH	Alkaline (12.5) .
Flash point	Not Applicable
Solubility	100% soluble in water

10. Stability and reactivity

www.rxmarine.com

Hazardous Decomposition Products	Do not occur if stored and used as directed. In FIRE combustion CO, CO ₂ , NH ₃ , SOX etc hazardous gas.
----------------------------------	--

11. Toxicological information

www.rxmarine.com

Comment	Not applicable , Emulsifies in water . Product is giving irritation on skin.
---------	--

12. Ecological information

www.rxmarine.com

95 % added surfactants are biodegradable as per by international regulation. But strictly This material must be disposed with local national regulations.

13. Disposal considerations

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article.

14. Transport information

www.rxmarine.com

Proper Shipping Name	2, Butoxy Ethanol, Solution
Proper Shipping Name: Sodium hydroxide, solution UN No.	1824
Hazard Class	8 Packing Group II
Road/Rail (ADR/RID)	
Proper Shipping Name	2, Butoxy Ethanol, solution
ADR UN No.	1824
ADR Hazard Class	8 Tremcard: 8051824

15. Regulatory information

www.rxmarine.com

HARMFUL

R22 HARMFUL IF SWALLOWED.

R41 RISK OF SERIOUS DAMAGE TO EYES.

S13 KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.

S25 AVOID CONTACT WITH EYES.

S39 WEAR EYE/FACE PROTECTION.

S41 IN CASE OF FIRE AND/OR EXPLOSION DO NOT BREATHE FUMES.

16. Other information

www.rxmarine.com

(R35: Causes severe burns.

R41: Risk of serious damage to eyes.)

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents. The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer. This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC). This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC). This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58/EC). This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.